



()

[IJAEB \(index.php\)](#)[Current Issue \(currentissue.php\)](#)[Archive \(archive.php\)](#)[Comité éditorial \(editorial.php\)](#)[Instructions aux auteurs \(instruction.php\)](#)[Sujets IJAEB \(topics.php\)](#)[Mode de paiement \(modeofpayment.php\)](#)[Indexation \(indexing.php\)](#)[Formulaire de copyright \(images/Copyrightform.pdf\)](#)[Contactez-nous \(contact.php\)](#)

Revue internationale d'agriculture, d'environnement et de recherche biologique

IJAEB

Rédacteur en chef**Prof. Girish Vaishnav****Professore au collage polytechnique Vidhya Bhavan, Udaipur Rajstahn (INDE)****Courriel: editor@ijaeb.org (mailto:editor@ijaeb.org;)****Membres du comité de rédaction****Dr. Kasim S. Abass (resume/dr.Kasim S. Abass Resume (1).pdf)**

Département des sciences biomédicales, Faculté des sciences et technologies, Royaume-Uni,
Royaume-Uni

Courriel: kasimsakran@yahoo.com**Dr. Mohamad Faizal Ibrahim (resume/Academic CV - Mohamad Faizal.pdf)**

Département de biotechnologie et des sciences biomoléculaires Universiti Putra Malaysia, **Malaisie**

Courriel: faizal_ibrahim@upm.edu.my

Prof. Dr. Alireza Heidari (<http://calsu.us/index.php/member/prof-dr-alireza-heidari/>)

Directeur du Laboratoire de Recherche de Base de BioSpectroscopie à la Faculté de Chimie, California South University (CSU), Irvine, Californie, **USA**

Courriel: scholar.researcher.scientist@gmail.com

Dr. Farhad Mirzaei ([resume/Farhad Mirzaei Resume2015\[1\].pdf](#))

Membre du Département de la gestion de la production animale, Institut de recherche en sciences animales d'Iran, **Iran**

Courriel: farmir2001@gmail.com

Dr Mathews Plamoottil ([resume/1. Biodata of Mathews Plamoottil.pdf](#))

Département de zoologie, Baby John Memorial Govt. Collège, Chavara, Kollam, Kerala, Inde, **Inde**

Courriel: mathewsplamoottil@gmail.com

Dr. Pablito Macapugay Magdalita ([resume/Pablito Macapugay CURRICULUM VITAE-Publish-Journal.pdf](#))

Crop Science Cluster & Institute of Plant Breeding, College of Agriculture, Université des Philippines Los Baños, College, Laguna, **Philippines**

Courriel: pabsmagdalita@gmail.com

Dr. Nazan Koluman ([resume/CV-Europass-20161206-KolumanDarcan-TR.pdf](#))

Département des sciences animales, Université Cukurova Turquie, **Turquie**

Courriel: nazankoluman@gmail.com

Dr Mohd Zulkhairi Mohd Yusoff ([resume/CV Zulkhairi December 2016.pdf](#))

Faculté de biotechnologie et des sciences biomoléculaires Universiti Putra Malaysia, Serdang, Selangor, **Malaisie**

Courriel: mzulkhairi@upm.edu.my

DR. Maulin Pramod Shah (resume/CV with Biography Maulin Pramod.pdf)

Scientifique en chef et chef du laboratoire de recherche sur les eaux usées industrielles, Division du laboratoire de microbiologie appliquée et environnementale, Enviro Technology Limited, Ankleshwar, Inde **Inde**

Courriel: shahmp@beil.co.in

Mohammad Shah Jahan (resume/CV of Mohammad Shah Jahan.doc) ,

Département d'horticulture, Faculté d'agriculture, Université agricole Sher-e-Bangla, **Bangladesh.**

Courriel: shahjahanhort@sau.edu.bd

Dr Narendhirakannan RT (resume/A-Dr. Narendhirakannan-08-01-2017.doc.pdf) ,

Département de biotechnologie, École de biotechnologie et des sciences de la santé, Université de Karunya, Coimbatore, Tamil Nadu, Inde, **Inde.**

Courriel: rtnkannan@karunya.edu

Dr Ahmad Muhaimin Bin Roslan (resume/Short CV_Ahmad Muhaimin.pdf)

Département de technologie des bioprocédés, Faculté de biotechnologie et des sciences, Biomolécules, Universiti Putra Malaysia, **Malaisie.**

Courriel: ar_muhamin@upm.edu.my

Dr. Sheikh Adil Hamid (resume/Resume Dr. Sheikh Adil.pdf)

Division de la production et de la gestion du bétail, Faculté des sciences vétérinaires et de l'élevage, Srinagar, SKUAST-K, Cachemire **Inde.**

Courriel: aadilsheikh5@gmail.com

Dr. Pankaj Kumar Singh (resume/IJAN CVPKSINGH 2016.pdf)

Département de nutrition animale, Bihar Veterinary College, Bihar Agricultural University, Sabour, Bhagalpur, Bihar, **Inde.**

Courriel: vetpank@gmail.com

Dr S. MURUGAN (resume/Murugan CV 2016.pdf)

Professeur adjoint de microbiologie, Srinagar, Université de Karunya, Coimbatore, Tamil Nadu, **Inde**.

Courriel:murugan@karunya.edu

Dr. Nayan Roy (resume/Nayan Roy CV pdf.pdf)

Department of Zoology, MUC Women's College, Burdwan, West Bengal **India**.

Courriel:nayan909@gmail.com

Dr Mukesh Kumar Meena (resume/Dr.MEENA_MK_CV_-2017-Editorial.pdf)

Professeur adjoint, Département de physiologie des cultures, UAS, Raichur, Karnataka **Inde**.

Courriel:meenam4565@gmail.com

Dr. M. Cuneyt BAGDATLI (resume/M. Cuneyt BAGDATLI C .V.pdf)

Nevsehir Haci Bektas Veli Faculté d'Ingénierie et d'Architecture Département d'Ingénierie des Biosystèmes, 50300- Nevsehir **Turquie**

Courriel:cuneytbagdatli@gmail.com

Professeur Jacinta A.Opara (resume/#)

Professeur et directeur Centre d'études sur la santé et l'environnement Université de Maiduguri PMB 1069 Maiduguri-Nigeria **Nigeria**

Courriel:jaopara@yahoo.com

Alireza Haghghi Hasanalideh (resume/AlirezaHaghghi CV.doc)

Chercheur au Central and West Asian Rice Centre (CWARice) **Iran**

Courriel:haghghi.ag@gmail.com



()

Dernier numéro

ISSN: 2456-8643

Volume 5, numéro 1, JAN-FEB 2020 est en cours ...

Article n °	Titre de l'article et auteurs	Page	Télécharger
456	PROTOCOLE DE PROPAGATION IN VITRO DE JASMINUM POLYANTHUM UTILISANT L'ORGANOGENÈSE INDIRECTE (link5.php?id=456) El-Sadat, NHA et Hewidy, M., Égypte	1-8	PDF (uploads2020/AEB_05_45)
457	ÉTUDE DE VARIATION DES INGRÉDIENTS NATURELS EXTRAITS TURMERIC (<i>Curcuma domestica</i>) ET DAYAK OIGNON (<i>ELEUTHERINE palmifolia</i> (L.) Merr) SUR LE TRAITEMENT DES INFECTÉE Sangkuriang silure (<i>gariepinus</i>) CATFISH <i>AEROMONAS HYDROPHILLA</i> BACTÉRIES (link5.php?id=457) Akhmad Fakhrizal Nur, Noor Arida Fauzana et Fatmawati, Indonésie	9-35	PDF (uploads2020/AEB_05_45)
458	FACTEURS AFFECTANT LA PRODUCTION DANS L'ENTRETIEN DE L'ÉLEVAGE DU RIZ DES BASSE TERRE DANS LA RÉGION DE PARIGI MOUTONG, INDONÉSIE (link5.php?id=458) Sulaeman, Muhammad Basir Cyio et Rustam Abd Rauf, Indonésie	36-50	PDF (uploads2020/AEB_05_45)
459	ÉVALUATION DES CONTRAINTES DE PRODUCTION ET DE LA RENTABILITÉ DES INVESTISSEMENTS EN FLORICULTURE DANS L'ÉTAT DE KANO, NIGÉRIA (link5.php?id=459) Abbas, MN, Ibrahim, A. Shehu, YA, Jibrin, MA, Hamza, HI et Ali, S., Nigéria	51-57	PDF (uploads2020/AEB_05_45)
460	QUALITÉ DE L'EAU DE LA RIVIÈRE MONO ET SANTÉ DE LA POPULATION DANS LA COMMUNE D'ATHIEME AU SUD-OUEST BÉNIN (link5.php?id=460) Anselme K. SEDE, Constant HOUNDENOU et Ernest AMOUSSOU, Bénin	58-70	PDF (uploads2020/AEB_05_46)

Article n °	Titre de l'article et auteurs	Page	Télécharger
461	PRODUCTIVITÉ DU RIZ IRRIGUÉ ET PLUIE (Oryza sativa L.) INFLUENCÉ PAR L'ÂGE DES SEMIS ET L'ESPACEMENT DES RANGS, À KURU PLATEAU STATE NIGERIA (link5.php?id=461) Nasamu Michael A. et Garba Ali A, Nigeria	71-84	PDF (uploads2020/AEB_05_46)
462	RÉPONSES DE CROISSANCE ET DE RENDEMENT DU MUSKMELON (CUCUMIS MELO L.) AUX DIFFÉRENTES SAISONS DE PLANTATION À ADO-EKITI (link5.php?id=462) Aluko M. *, Ayodele OJ, et Salami AE, Nigéria	85-98	PDF (uploads2020/AEB_05_46)
463	DÉTECTION DE GROSSESSE CHEZ LA CHÈVRE SOKOTO ROUGE (link5.php?id=463) Umar Abubakar Abubakar * et Atabo Shaibu Mohammed, Nigéria	99-107	PDF (uploads2020/AEB_05_46)
464	PLAN DE GERMINATION DE LA PROPAGATION ET DE LA CONSERVATION DE LA CITRONNELLE (CYMBOPOGON CITRATUS STAPF) À TRAVERS LES TECHNIQUES DE BIOTECHNOLOGIE (link5.php?id=464) Hector Rafael Peralta Corona *, Maximo Mejia Rosario et Jose Diaz Trinidad, République dominicaine	108-123	PDF (uploads2020/AEB_05_46)
465	PROBLÈME D'HYGIÈNE ET D'ASSAINISSEMENT ET DE SANTÉ DANS LA COMMUNE DE KPOMASSE (RÉPUBLIQUE DU BÉNIN) (link5.php?id=465) Gabin A. TCHAOU, Bénin	124-139	PDF (uploads2020/AEB_05_46)
466	EFFET DE LA MÉTHODE D'APPLICATION DE ZINC SUR LA CROISSANCE ET LE RENDEMENT DES GRAMMES VERTS (link5.php?id=466) Consolata Mueni Muindi, James Biriha Ndiso et Esther Mwendu Muindi, Kenya	140-148	PDF (uploads2020/AEB_05_46)
467	FACTEURS AFFECTANT LA PERCEPTION DES AGRICULTEURS SUR LES VARIÉTÉS DE SOJA AMÉLIORÉES DANS LA RÉGION DE BAKO, SHEWA OUEST, ÉTHIOPIE (link5.php?id=467) Abdulaziz Teha, Éthiopie	149-160	PDF (uploads2020/AEB_05_46)
468	EFFET DE LA PRATIQUE DU TILLAGE SUR LA CROISSANCE ET LE RENDEMENT DU MAIS EN OUGANDA (link5.php?id=468) Bongomin L *, Acipa A, Wamani S. et Dr Sseremba G, Ouganda	161-173	PDF (uploads2020/AEB_05_46)

Article n °	Titre de l'article et auteurs	Page	Télécharger
469	EFFETS DES ACTIVITÉS HUMAINES SUR LA DYNAMIQUE DES FORMATIONS VÉGÉTALES DANS LA COMMUNE DE TANGUIETA AU NORD-OUEST DU BÉNIN (link5.php?id=469) Rodrigue TA ABALO, Djafarou ABDOULAYE, Florence K. GBESSO et Brice AH TENTE, Bénin	174-193	PDF (uploads2020/AEB_05_46)
470	EFFICACITÉ DE TRANSMISSION DU VIRUS ROUGE JAUNE PAR LE RIZ DÉSHYDRATÉ (ORYZA SATIVA L.) PAILLE ET RACINES (link5.php?id=470) Kabore Emmanuel, Nitiema W. Leon, Sereme Drissa, Kuire PP Epiphane1, Traore M. Djibril, Sorho Fatogoma et Simpore Jacques, Burkina Faso	194-204	PDF (uploads2020/AEB_05_47)
471	CONSÉQUENCES DE LA MAUVAISE GESTION DE L'EXCRÉTA HUMAIN ET DES EAUX USÉES DOMESTIQUES SUR L'ENVIRONNEMENT ET LA SANTÉ HUMAINE DANS LA MUNICIPALITÉ DE DASSA-ZOUME (link5.php?id=471) Sahabi Bio-Bangana; Rodrigue C. Landeou; Armand Vodounou et Luc Djobgenou, Bénin	205-221	PDF (uploads2020/AEB_05_47)
472	PERCEPTIONS POPULAIRES ET DRAGAGE DE SABLE A DEKOUNGBE DANS L'ARRONDISSEMENT DE GODOMEY (BENIN, AFRIQUE DE L'OUEST) (link5.php?id=472) HEDIBLE Sidonie Clarisse, Bénin	222-233	PDF (uploads2020/AEB_05_47)



**POPULAR PERCEPTIONS AND SAND DREDGING AT DEKOUNGBE IN THE
BOROUGH OF GODOMEY (BENIN, WEST AFRICA)**

HEDIBLE Sidonie Clarisse

Inter-Faculty Center for Training and Research in Environment for Sustainable Development
(CIFRED)

Pierre PAGNEY Laboratory: Climate, Water, Ecosystem and Development (LACEEDE),
03BP 1122 Cotonou 03.

Department of Sociology-Anthropology
Master / Prospective Development Study (Master / EPDev)

<https://doi.org/10.35410/IJAEB.2020.5472>

ABSTRACT

Population growth is pushing people to use sands for any useful purpose. To meet this demand and at the same time preserve the coastal zones in the face of the danger of erosion, the Beninese State has opted for the exploitation of continental sand, precisely in the marshy and lagoon zones. middle and on living things. The main objective of this research is to analyze the socio-environmental perceptions and impacts of sand dredging at Dèkoungbé in the commune of Abomey-Calavi. Research of a qualitative and quantitative nature, the reasoned sampling technique was chosen. A total of twenty-eight (28) actors were interviewed. Data collection techniques are observation, interview and administration of the questionnaire with the observation tools, interview guide and questionnaire as appropriate tools.

The results reveal that according to popular perceptions, dredging activities pose a threat to their living environment. These activities also have socio-environmental impacts on the population of Dèkoungbé.

Keywords: Popular perceptions, exploitation of sand, dredging of lagoon sand, Dèkoungbé, arrondissement of Godomey.

1. INTRODUCTION

Spatial planning and nature protection are challenges for sustainable development. Thus, better management of nature must be based on the maintenance, conservation, development and use of natural resources. However, demographic pressure combined with the ever-increasing strong demand for natural resources is straining the carrying capacity of the environment to meet the survival needs of populations (Ogan, 2012). However, natural resources often exist in limited quantities and constitute wealth in the latent state of the populations which hold them. Unfortunately, their uncontrolled exploitation generates constraints.

Most of the coastal cities of Benin are experiencing a serious degradation of their environment given their geographic location. The coastal areas represent a fragile ecosystem, subject to a

localized phenomenon of coastal erosion. The processes behind this degradation are both natural and anthropogenic (Bessan, 2008). Similarly, in the coastal zone of Benin, the accumulations of sands of the current cordon are abundantly researched and exploited for various uses. This exploitation accelerates coastal erosion and poses serious threats to the environment and to infrastructure on the coast (Adam, 2007).

The desire to provide populations with a healthy environment and the awareness that the proper use of natural resources must tend towards a balance between human needs and the possibilities of nature to meet them, have motivated government authorities to sea sand quarries closed in favor of those in the lagoon sands (Djakou, 1996).

The exploitation of lagoon sand therefore constitutes today a new activity which occupies several actors around the Dèkounbé swamp. The extraction of lagoon sand is therefore part of a logic of exploitation of continental sand deposits in substitution for marine sand to reduce the pressure on the Beninese coast which is facing environmental problems. Indeed, the strong demographic pressure on the banks constitutes an environmental threat which deserves special attention. It is in this context that the choice of this theme, "Popular perceptions and dredging of lagoon sand at Dèkounbé in the district of Godomey", fits. These different findings raise several questions, in particular: what perceptions do people have of exploitation of lagoon sand at Dèkounbé? What are the impacts of the exploitation of lagoon sand on the biophysical and biological environment?

2. PROBLEM

The interest of managing the environment in general and natural resources in particular has raised questions for several decades from several authors. Vanpeene-Bruhier et al. (2003) in their work entitled "Environmental risk assessment for sustainable management of space", showed that human activities have a direct or indirect influence on ecosystems on the one hand and sometimes directly on man .

Yabi (2015) has shown that the quarrying activity in the commune of Tchaourou has boosted the local economy but leaves the population suffering.

According to Gonou (2010), the exploitation of continental sand in the district of Perma (Atacora) is carried out in an anarchic manner and does not respect any environmental standard. In his work, he first showed that this activity constitutes a proven source of income for the people who indulge in it and that the environment is completely degraded in this part of the country; which presents dangers to the population because they are large pools which are created especially in the rainy season and where human life is exposed.

For Leduc and Raymond (2000), natural environments quickly receded in the face of advances in "civilization" and built environments in turn became an issue of quality of life. Concerns about the environment really started in Benin in the 1980s. This is why the right to a healthy environment is established in the Republic of Benin as a fundamental human right and the constitution of December 11, 1990 stipulates in its article 27 that "Everyone has the right to a healthy, satisfying and sustainable environment and has the duty to defend it. The State ensures

the protection of the environment "(Constitution of Benin, 1990). Still in its ambition to promote the rational management of its resources and to protect its environment, Benin has also acceded, since January 2000, to the Ramsar convention (Amoussou-Adéblé, 2005).

MINEX BENIN SARL (2011), reports on the relationship that exists between the rational use of natural resources by the populations concerned to satisfy their needs and the consequences of these on the environment identified through its "Study report d 'impacts on the environment; case of the sand dredging project in the swamps of DEKOUNGBE HOUEDOME, Municipality of Abomey-Calavi ". Let's assume that the rational exploitation of natural resources should meet needs. However, it cannot be achieved without affecting the environment in which these deposits are identified and the local population and their activities. The conclusions and overlaps of several studies supported by a group of experts, academics, biologists and geological researchers, reveal ecological consequences, and heavy implications of the extraction of sand on the erosion of the sites and the biodiversity fragility.

The purpose of this recerce is therefore to analyze the socio-environmental perceptions and impacts of sand dredging at Dékougbe in the commune of Abomey-Calavi.

3. PRESENTATION OF THE STUDY

Environment Dékougbe is located in the arrondissement of Godomey, commune of Abomey-Calavi. The area is bounded to the north by the municipality of Zè, to the south by the Atlantic Ocean, to the east by the municipalities of So-Ava and to the west by the municipalities of Tori-Bossito and Ouidah. North latitude 6027 'and East longitude 2021' Dékougbe covers an area of 65,000 ha or 650 km² (Fig. 1).




Figure 1: Geographical location of the study area Source: A.I.D.E.S, 2015 The municipality enjoys a hot humid climate of the subequatorial type marked by an alternation of two dry seasons

with two rainy seasons. Agricultural activities begin with the long rainy season from mid-April to mid-July. Then comes the short dry season which lasts from August until mid-September. It is followed by the small rainy season from mid-October to mid-November. Finally, the long dry season lasts from the beginning of December until March. The average annual rainfall is around 1,200 mm, of which 700 to 800 mm for the first rainy season and 400 to 500 mm for the second rainy season. There is a decrease in precipitation from North to South and from East to West. The flora of Dékougbe is varied according to the facies crossed. Thus one meets mangroves and coconut groves in the coastal area, a degraded savannah on the plateau with a dominance of fallow with oil palm, and a grouping of grasses in the swamps and along the banks of Lake Nokoué. However, the field studies carried out by the design office on the characteristics of ecosystems in the environment suggest the presence of the main species which are: *Typha australis*, *Paspalum vaginatum*, *Eichhornia crassipes*. It is made up of fauna: aquatic, semi-aquatic and avian. The middle avian fauna is composed of ichthyophagous birds, they belong to the genera *Phalacrocorax*, *Ardeola*, *Egretta*, *Ceryle* etc. The mammals encountered are: Sheep, sheep, dogs, pigs, cows, etc. (A.I.D.E.S; 2015) According to the 4th General Census of Population and Housing (RGPH4).

The total population of the Arrondissement of Godomey is 253,262 inhabitants (including 123,833 men and 129,429 women). In this environment, it is mainly the Xwla of the former chiefdom of Djakin joined by immigrants of Ghanaian origin and Fon elements who have settled on either side of the coastal lagoon. Its organization is based on patrilineal principles and everyone knows their rights and duties as prescribed by tradition. We note the presence of non-natives such as Fon, Mina, Goun, Péda, Xwla etc. (A.I.D.E.S, 2015). Agriculture, animal husbandry and fishing are the main activities of the populations of the Municipality of Abomey-Calavi. These activities occupy 78.43% of household heads while the proportion at the national level is 83.35%. The activities of the tertiary sector, namely trade, transport and other services absorb the rest of the active population. (A.I.D.E.S, 2015). Agriculture alone occupies 78% of households in the Municipality of Abomey-Calavi. The number of working hours is estimated at 5.6 hours on average per day over the whole year. The most dominant crops are corn and cassava, which are the staple food. The presence of swamps favors the cultivation of rice, the proportion of which is limited to small areas on an experimental basis. We observe a cohabitation of natural palm groves and those selected. Agriculture is modernizing more and more with the presence in the sector of traders, retired civil servants and unemployed graduates. These grow vegetables to meet the needs of urban centers for tomatoes and leafy vegetables. They also produce pineapples and citrus fruits on private farms. In the Municipality of Calavi, farming is very underdeveloped. Fishing is practiced by 40% of the active population of the locality. It comes in many forms. Fishing is an important economic activity in the Municipality of Abomey-Calavi because of the existence of many bodies of water in the area. Over 80% of Benin's total fishery production comes from the Atlantic Department. During the flood, the floodplain presents extremely interesting ecological characteristics and very useful for fish: spawning habitats, overabundance of food for adults, juveniles and larvae. The destruction of part of this flood zone will lead to a decrease in recruitment in the fluvio-lagoon system. (A.I.D.E.S, 2015)

4. METHODOLOGICAL APPROACH

The methodological approach used within the framework of this research takes into account the nature of the research, the documentary research, the sampling technique, the field surveys, the data processing and the analysis of the results. Documentary research consisted in the systematic collection of general works, specific works, articles, reviews and basic maps. To this end, documentation centers have been visited. This documentary phase made it possible to identify and consult certain studies which tackled different aspects of the subject and then helped to develop a much more specific work plan. Table I summarizes the different centers visited and the data collected. Table I: Summaries of documentation centers

Documentation center	Nature of documentation	Types d'information
FASHS documentation centers	Books, reports, theses, dissertations and articles	General information of a methodological nature and impacts of exploitation of marine and lagoon sand Library
University Library	Books, theses, dissertations, reports and articles	General methodological information
MEHU Documentation Center	Books, articles, reports and journals	General information on the subject

Sampling was carried out by reasoned choice. The target groups involved in sand dredging and the population of Dèkounbé were interviewed. These are: operators; farmers; sand carriers; dredging quarry officers; populations close to quarries; local authorities and resource persons. Table II presents the number of respondents by target group.

Table II: Number of respondents per target group

Target group	Number of respondents
operators	05
fishermen	04
Sand carriers	05
Populations close to quarries	11
Local authorities	01
Contacts	02
Total	28

Source: Research results, December 2017.

A total of 28 people were interviewed. Several tools and techniques made it possible to collect information in the field.

In order to collect the necessary information on the chosen theme, interviews are conducted with the local authority (district chief) and resource persons on aspects of the activity of exploiting sand in the environment. The questionnaires are sent to the populations to find out their perception with regard to this activity. Observations were made at the dredging site.

The tools used to collect data and information are the questionnaire, the observation grid, the interview guide.

As equipment, the camera for taking the pictures used in the work. The survey sheets were counted manually. As for the raw information collected in the field, it is processed by statistical methods of processing survey data using Excel software; Word software for texts and Arc View3.2 for maps. The results of the analysis made it possible to highlight popular perceptions related to dredging and then to have a close-up view of all the environmental problems that arise in general in order to propose certain approaches to solutions likely to contribute to improving the environment.

The quantitative data were processed with Excel software in the form of a table, to facilitate the appreciation of the various impacts generated by the dredging of sand in the Dékoungbé district.

5. RESULTS AND DISCUSSION

The impact represents the effect on the environment resulting from a level of pollution (air, water or soil) exceeding the permissible level. The direct or indirect effects must be assessed in their short, medium and long term consequences. They can also be positive effects generated in the longer term by men's activities or projects. In reality, they are long-term effects of an activity. For the purpose of this work, it is about the impacts of sand dredging.

The extraction of marshy sand at Dèkounbé for a purely commercial purpose, is done using large equipment, ELLIOT 670 dredgers, generator sets, CATERPILAR 140 H excavators, CATERPILLAR bulldozers (D6M 4JN01193 and D7G II) and Caterpillar 950 G loaders. As infrastructure, the company has an equipment storage and sand storage area, offices and hangars equipped with sanitary facilities. (A.I.D.E.S; 2015)

5.1 Impacts of the exploitation of lagoon sand

Components affected by the exploitation of lagoon sand at Dèkounbé With the matrix approach, the affected components have been identified. Thus, the sources of impacts linked to the exploitation of lagoon sand, also called sub-activities, were highlighted from Bessan's checklist (2008). These sources of impact are as follows: dredging, transport by boat, land transport, sand storage, truck handling, marketing.

Bessan's matrix (2008) made it possible to compare the sources of impact and the components of the environment elicited. This crossing highlights the components of the environment that are more or less affected, as shown in Table III.

Table III: Matrix for determining the components of the environment affected by the sand mining activity.

Sources and'impact	Air	Water (Lagoon)	Sol	Flora	wildlife	Health	Economy local	Navigability	Agriculture
Manual Dredging		- /+		-	-	-		+	
Land transportation	-	-	-	-	-	-	+	-	-
Sand storage	-	-		-	-	-			-
Handling and / or loading	-	-	-	-	-	-	+		-
Marketing						+	+	+	

Source: Bessan (2008) and field survey (December 2014)

Legend: plus (+) = positive impacts; minus (-) = negative impacts

Analysis of this matrix shows that the components of the human environment outside of health are the least affected. On the other hand, the elements of the natural environment (air, water, soil, flora, and fauna) are the most currently affected by the exploitation of Dèkounbé lagoon sand.

5.2. Environmental and socio-economic impacts of the exploitation of lagoon sand

Impacts on the physical environment

One of the positive impacts of the exploitation of lagoon sand is the desensitization of the lagoon. This incidence increases the depth and extent of the body of water. This facilitates navigation, transport of goods and people, tourism, etc.

Likewise, the exploitation of lagoon sand has the merit of limiting the pressure on sea sand and consequently the reduction of coastal erosion.

Despite these positive impacts, Dèkounbé is exposed to many negative consequences due to this activity of exploiting lagoon sand. These negative impacts include:

- Degradation of air quality by dust, truck exhaust, unpleasant odors from waste on sites, noise pollution, etc .;
- pollution of water by solid, liquid waste and by engine oils spilled on sand exploitation sites and often drained by runoff and rainwater towards the lagoon;
- Destruction of the lagoon banks which results in the loss of plant and animal biodiversity;
- Destruction of the habitats of aquatic fauna and aquatic flora due to dredging, which leads to disturbance of the ecosystems and the bottom of the lagoon;
- The deterioration of carriageways which give access to sand storage sites by trucks, making the tracks impassable in the rainy season.

Apart from these harmful impacts linked to the extraction of lagoon sand, there is also the ecological risk which threatens the impermeable layer at the bottom of the lagoon. This risk would result in a large-scale ecological disaster if it happened. However, the practice of this activity linked to the exploitation of lagoon sand gives a certain number of benefits to the operators.

Impacts on human beings

Man, the first factor of development, is at the heart of any transformation process and the creation of wealth. Due to its interdependence with the biophysical elements of the environment, it undergoes, directly or indirectly, the effects resulting from modifications of the natural environments of which it is often the author.

The exploitation of sand by dredging as planned within the framework of this project uses semi-industrial equipment of short range but for long-term use. Indeed, the main source of risk activities remain and remain the extraction of sand at depth using the dredge and the transport of extracted materials by trucks.

Apart from the risks linked to the handling of machines and dredging on the quarry, the transport of the sand extracted by trucks represents a real threat for the local populations. Added to this are the collateral risks associated with drowning, the collapse of the banks of created water bodies and probably the destruction of precarious housing. The population deplors the installation of sand dredging industries within their habitat accusing them of polluting the environment and disturbing the peace of mind of the populations. The expansion of the exploitation of continental sand, which turns out to be a solution to protect the Beninese coasts has become a nightmare for the population. Here are the words of the interviewees at Dèkounbé: the sand mining site in our locality. Those who operate the site gradually started by closing the rainwater circulation corridors and finally we got to the point where this rainwater can no longer circulate normally. "

In addition, the exploitation of lagoon sand negatively influences the socioeconomic life of the actors. Indeed, the populations living near the exploitation sites are affected by several diseases due to this activity. Thus, respiratory diseases such as asthma and bronchitis (37% of those surveyed revealed it), sight diseases such as conjunctivitis and blindness of the eyes (28%), mainly linked to sand dust, smoke released by heavy machinery (trucks) are frequently recorded by stakeholders as ailments and confirmed by the municipality's health workers. The rest of the respondents, 35%, did not disclose anything that affected them in the exercise of their activities. Faced with the environmental impacts of the exploitation of lagoon sand in the Dèkounbé swamps, a certain number of measures are being taken to rationalize management and limit risks.

5.3 Perceptions of the Dèkounbé populations on sand dredging activities

The populations deplore the impact of the activity on public facilities such as electric poles belonging to the Beninese Electricity Company (photos 1 and 2) The vibrations emitted by vehicles during the transport of sand disturb the peace of mind of the populations.



Photo 1: Electricity pole disturbed due to the exploitation of sand at Dèkounbé

Photo 2; Sand dredging affecting electrical installations

According to popular perception, many are victims of a flood development during rainy periods. Drowned dwellings, shops, workshops, and closed places of worship. Men forced to bend the pants above the knees and women forced to raise the loincloths above the knees. A phenomenon they define as "ordeal" while accusing the promoters of dredging sand operating in the locality.

Residents complain of dust from vehicles transporting sand and the risk of lung infections it can cause in the long term.

They are concerned about the exploitation of the sand which degrades the soil of their locality; then revolted against the drivers responsible for transporting the sand who had already caused several victims of traffic accidents during the transit.

6. DISCUSSION

Like African cities, Benin's cities, especially the coastal ones, are subject to strong human pressure. Indeed, the Beninese coast is very fragile due to a very marked demographic pressure of human activities characterized by various developments carried out back to back in recent decades. Dossa (2011) made similar observations in his study on the environmental and socio-economic impacts of the exploitation of lagoon sand in the arrondissement of Aholouyemè (Municipality of Sèmè-Kpodji). Indeed, its results showed a fragility of the maritime coast linked on the one hand to increasing demographic pressure and on the other hand to the exploitation of sea sand as an income-generating activity for the local populations and actors in the sand sector.

Donou (2007) also came up with similar results, stating that the exploitation of lake sand has impacts on the health of populations. In fact, as part of his work, the author has shown the role of

the operating system of a sand deposit on dry land, an environment other than a hydrographic complex. This research had the merit of leading to a better characteristic of the physical and chemical properties of silica sand, its socioeconomic role in Houéyogbé and its industrial importance. He did not fail to reveal that anyone who exploits silica sand runs the risk of respiratory and pulmonary affections among which is silicosis whose pathologies are irreversible and incurable by modern and traditional medicines. The same observations are made by Gnonlonfin (1996) and Vèdogbèton and Olodo (1996), who highlight a concern around the exploitation of continental sands. For local residents, dredging of water bodies could cause the banks to collapse and the banks to recede, which would cause them to lose part of their domain.

Beyond the negative aspects which are noted in the exploitation of lagoon sand and which are essentially linked to the degradation of the environment, the operators derive important socio-economic interests. Indeed, the exploitation of lagoon sand at Dèkounbé is favored by several socio-economic factors. The socioeconomic activities practiced by the people living near Dèkounbé are fishing, market gardening, coconut oil production, trade, exploitation of sand, fish farming, etc.

Compliance with the measures taken by the promoters of the dredging sites in the Environmental and social management plan makes it possible to mitigate the negative impacts of the dredging of lagoon sand in the district of Godomey

REFERENCES

- Beninese Environment Agency (ABE), 2001. General guide for carrying out an environmental impact study. MEHU, Cotonou, Benin, 77 p. ADAM (K. S.), 2007. National Report on the Marine and Coastal Environment of Benin. MEPN / DGE / CEDA, 68 p.
- AFFAGNON (W. M.) and HONFOGA (T. T. R.), 2005. The exploitation of lagoon sand in the city of Porto-Novo: socio-economic and environmental impacts. Master thesis in geography, UAC / FLASH / DGAT. 108 p.
- AMOUSSOU (E.), 2010. Rainfall variability and hydro sedimentary dynamics of the catchment area of the fluvio-lagoon complex Mono-Ahémé-Couffo (West Africa). Thesis presented for obtaining a doctorate in applied physical geography.
- University of Burgundy, Paris; 313 p.
- BESSAN (V. M.), 2008. Environmental and socio-economic impacts of the exploitation of fluvial sand in the Ouémé valley: case of the municipality of Adjohoun. Master thesis in geography, UAC / FLASH / DGAT, 100 p.
- Maman-Sani ISSA, in-depth Environmental and Social Impact Report of the lagoon sand exploitation project at Dèkounbé-Hedomey in the commune of Abomey-Calavi 2010;
- DJOSSOU (R.), 2014. Vulnerability and adaptation of the populations of the municipality of GrandPopo to floods. Master thesis in regional integration and development. UAC / FLASH / DGAT. 78 p.

- Didier Pascal DOGUE, Wetlands in Benin: Wealth under the threat of urbanization; Thursday, February 19, 2015;
- A.I.D.E.S, in-depth Environmental and Social Impact Report of the marshy sand exploitation project at Dékoungbé-TogbinDenouGodomey in the commune of Abomey-Calavi Société MINEX BENIN SARL August 2015;
- Beninese Office of Geological and Mining Research (OBRGM), 2000. Mining potentials of Benin. Cotonou, Ministry of Mines, Energy and Hydraulics (MMEH), 52 p.
- A.I.D.E.S, in-depth Environmental and Social Impact Report for the marshy sand exploitation project at Dékoungbé-TogbinDenouGodomey in the commune of Abomey-Calavi Société IBP 2015;
- 2016 planetoscope-statistics section;
- Samuel YONKEU 13th school of IEPF and SIFEE environmental assessment tools for the development of adaptation plans to climate change Niamey republic of NIGER 2009;
- Written by Educ'ActionThe plight of an abandoned population on June 28, 2016;
- Bruce Edwards Finance and Development December 2015;
- 2014 UNEP report.