



UNIVERSITE D'ABOMEY-CALAVI (UAC)



INSTITUT NATIONAL DE LA JEUNESSE, DE L'ÉDUCATION
PHYSIQUE ET DU SPORT (INJEPS)

INSCRIPTION SUR LA LISTE D'APTITUDE AUX FONCTIONS DE
MAITRE DE CONFERENCES (LAFMC) CAMES

PUBLICATION N°9

45^e SESSION

CTS SCIENCES ET TECHNIQUES DES ACTIVITES PHYSIQUES
ET SPORTIVES – JEUNESSE ET LOISIRS (STAPS-JL)

SPÉCIALITÉ : PHYSIOLOGIE DE L'EFFORT

AGBODJOGBÉ KPÈDÉTIN WILFRID DIEU-DONNÉ

MAÎTRE-ASSISTANT

GSM : +229 97 33 73 00

E-mail : agbowil2002@yahoo.fr

- 2023 -



World Journal of Advanced Research and Reviews

UGC Approved International Journal with High Impact Factor for fast publication of Research and Review articles

[HOME](#)
[ABOUT US](#)
[VIEW ARTICLES](#)
[AUTHOR'S GUIDELINES](#)
[JOIN US](#)
[DOWNLOADS](#)
[CONTACT US](#)

eISSN: 2581-9615 || CODEN (USA): WJARAI || Impact Factor: 7.8 || UGC Approved Journal

Important Links

[Submit](#)
[Manuscript](#)
[Call for Special Issue](#)
[Article](#)
[Processing Fee](#)
[Track Manuscript](#)
[Journals Policies](#)
[Publication Ethics and Malpractice Statement](#)

World Journal of Advanced Research and Reviews: an International UGC Approved Journal





UGC Approved Journal No. 64072

World Journal of Advanced Research and Reviews
 eISSN:2581-9615
 CODEN (USA): WJARAI

- => **Low Publication Charges**
- => **Peer Reviewed Journal**
- => **High Impact factor (8.2)**
- => **Certificate of Publication**
- => **Google Scholar Indexed**
- => **Free CrossRef DOI**

World Journal of Advanced Research and Reviews (WJARR) is an **International Journal** for publication of Research and Review articles. WJARR is **UGC Approved Journal** with **UGC Journal List No. 64072**. UGC Approved Journals are also known as **UGC CARE Journal**. It is **Open access Journal** published with monthly frequency (12 issues per year). World Journal of Advanced Research and Reviews is a **Peer reviewed journal** and

Call for Paper





Vol. 16, Issue 2,
November 2022

Submission : up
to
25th November



Editorial
decision: 48 hrs

[Call for paper
details](#)

Journal Indexing



it is **Highly Indexed Journal** that ensure quality publication. At World Journal of Advanced Research and Reviews articles are published by charging very **Low publication fee** to the authors. World Journal of Advanced Research and Reviews is **High Impact factor Journal (Impact factor 7.8)** and is committed to provide the authors a timely and fast review process for evaluation of their manuscripts. World Journal of Advanced Research and Reviews offers **Fast publication** of research and review articles. World Journal of Advanced Research and Reviews is a **Multidisciplinary Journal** and publishes manuscripts, original research and review articles, mini-reviews, short communication and Case reports in the almost all areas of Science and Research like Biological Sciences, Pharmaceutical Sciences, Medical Sciences, Nursing, Health Sciences, Agriculture, Life Sciences and Engineering & Technology etc. to know more [About Journal](#) World Journal of Advanced Research and Reviews an International Journal.



Journal DOI URL: <https://dx.doi.org/10.30574/wjarr>



World Journal of Advanced Research and Reviews

UGC Approved International Journal with High Impact Factor for fast publication of Research and Review articles

[HOME](#)
[ABOUT US](#)
[VIEW ARTICLES](#)
[AUTHOR'S GUIDELINES](#)
[JOIN US](#)
[DOWNLOADS](#)
[CONTACT US](#)

Important Links

[Submit Manuscript](#)
[Call for Special Issue](#)
[Article Processing Fee](#)
[Track Manuscript](#)
[Journals Policies](#)
[Publication Ethics and Malpractice Statement](#)

Call for Paper

Vol. 16, Issue 2,
November 2022

About Journal WJARR

Best International Journal to Publish Research and Review articles: WJARR

World Journal of Advanced Research and Reviews (WJARR) is an international platform for interaction between researchers, pharmacist, medical professionals, clinicians, technologists, scientist, academicians and industrial personnel's. World Journal of Advanced Research and Reviews is **Multidisciplinary Journal**. This Journal publishes manuscripts (Original Research articles, Review articles, Short communication, Case reports and Case Studies) on original work, either experimental or theoretical. World Journal of Advanced Research and Reviews (WJARR) is an **International Journal** publishing **Scientific Research** Online. It is **Peer reviewed**, Highly indexed, **Open Access**, monthly published Journal. WJARR is dedicated to various disciplines of Biological Sciences, Pharmaceutical Sciences, Medical Sciences, Nursing, Health Sciences, Agriculture, Life Sciences and Engineernd and Technology etc. World Journal of Advanced Research and Reviews with an internationally recognized editorial board emphasizes on producing high quality research content. We intend to build mutually beneficial and long-lasting relationships with our authors and provide them full support throughout the publishing and the post-publishing processes.

World Journal of Advanced Research and Reviews (WJARR) has ISSN 2581-9615 (Online) and Impact factor 7.8. This Journal is Indexed with several National and International Indexing and Abstracting Agencies.

Scope of International Multidisciplinary Journal: WJARR

Submission : up
to
25th November

Editorial
decision: 48 hrs

[Call for paper
details](#)




Journal Indexing



The World Journal of Advanced Research and Reviews (WJARR) aims to establish itself as a medium for exchanging ideas in new emerging trends in Biological Sciences, Pharmaceutical Sciences, Medical Sciences, Nursing, Health Sciences, Agriculture, Life Sciences and Engineernd and Technology etc. that needs more focus and exposure. WJARR is always committed to publish articles that will strengthen the knowledge of upcoming researchers.

Subjects covered by International Journal WJARR for Publication

- **Biological Sciences:** Agricultural science, Biomaterials, Bioactive polymers, Biochemistry, Biotechnology, Bioinformatics, Botany, Cell biology, Developmental biology, Environmental biology, Genetics, Microbiology, Molecular and structural biology, Zoology, and all other Bioallied Sciences.
- **Pharmaceutical Sciences:** Pharmaceutics and Biopharmaceutics, Novel and Targeted Drug Delivery, Nanotechnology and Nanomedicine, Pharmaceutical Chemistry, Pharmacognosy and Ethanobotany, Phytochemistry, Pharmacology and Toxicology, Pharmacogenomics, Pharmacovigilance, Natural Product Research, Drug Regulatory Affairs, Case Study and Full clinical trials.
- **Medical sciences and Surgery:** Nursing and Health Science: Medicine, Surgery, Clinical Biochemistry, Clinical Microbiology, Ophthalmology, ENT, Neurology, Orthopedics, Anesthesiology, Physiotherapy, Occupational Health, Community Medicine, Obstetrics and Gynaecology, Human Anatomy, Public Health, Nursing, Dentistry, Clinical Pharmacy, Health Education, Occupational and Environmental health, Clinical Psychology, Psychiatry, Dietetics & Nutrition, Alternative medicines (Yoga, Ayurveda, Homoeopathy, Siddha etc), Physiology & Pharmacology, Clinical Pathology and other allied areas of Health Science etc.
- **Agriculture Science and Forestry:** Arid soil research and rehabilitation, Agricultural genomics, Stored products research, Tree fruit production, Pesticide science, Post-harvest biology and technology, Seed science research, Irrigation, Agricultural engineering, Water resources management, Agronomy, Agricultural economics and agribusiness etc.
- **Veterinary Science and Medicine:** Physiology and morphology, Aquaculture, Crop science, Dairy science, Entomology, Fish and fisheries, Forestry, Freshwater science, Poultry science, Systematic biology, Veterinary Science in general, Veterinary medicine, Veterinary microbiology and immunology, Veterinary nursing etc.



- **General Applied Sciences:** Physical, Chemical Science and Engineering: Chemical Engineering, Chemistry, Computer Science, Earth and Planetary Science, Energy, Mathematics, Physics and Astronomy, Engineering, Material Science, Statistics.
- **Engineering and Technology:** Mechanical, Electrical, Computer, Information technology, Electronics and Tele Communication, Civil, Automobile, Agriculture engineering, green Technology, Refrigeration, Biotechnology and Genetic Engineering etc.
- **Social Science and Humanities:** Arts and Humanities, Business Management, Hotel Management, Management, Tourism, Accounting, Decision Science, Education, Economics, Law, Finance, Psychology, Political Science, Physical Education, English Literature, Social Work and History.

The World Journal of Advanced Research and Reviews invites original Research Papers, Review articles, Technical or Case reports and Short communications that are not published or not being considered for publication.

Benefits of publishing Research Articles in International Journal WJARR

- International, [Peer-Reviewed](#) and Referred Open Access Journal with Valid ISSN (2581-9615)
- Rapid, easy and High Quality Publication.
- High Impact Factor 7.8
- Fast Publication within 4 days.
- Low Article Publication fee (Just 32 USD)
- Every article published in WJARR will be provided with unique DOI from Cross-ref and Cross ref-mark without any extra charges
- Free certificate of publication
- Google Scholar Indexed
- All articles will be preserved for lifetime at LOCKSS repository
- Simple mode of submission via e-mail/online
- Online tracking of articles submitted
- Open Access to all Articles: Anytime & Anywhere in the world
- Improved visibility of articles to get more citations



World Journal of Advanced Research and Reviews

UGC Approved International Journal with High Impact Factor for fast publication of Research and Review articles

[HOME](#)
[ABOUT US](#)
[VIEW ARTICLES](#)
[AUTHOR'S GUIDELINES](#)
[JOIN US](#)
[DOWNLOADS](#)
[CONTACT US](#)

Important Links

[Submit Manuscript](#)

[Call for Special Issue](#)

[Article Processing Fee](#)

[Track Manuscript](#)

[Journals Policies](#)

[Publication Ethics and Malpractice Statement](#)

Call for Paper

[Vol. 16, Issue 2, November 2022](#)

Editorial Board of International Journal: World Journal of Advanced Research and Review

Editor in chief

[Dr. Ashok P. Hegade](#), (Ph.D. Pharmaceutics)
editor@wjarr.com

Editorial Board Members

[Dr. Satya Ranjan Sarker](#), Associate Professor, Department of Biotechnology and Genetic Engineering, Jahangirnagar University, Savar Upazila, Dhaka (Bangladesh)

[Dr. Refat Abd El Samie Sadek](#), Professor and Head, Department of Medical Microbiology, Faculty of Medicine, Port Said University, Port Said (Egypt)

[Dr. Jithesh Madhavan](#), Professor and Head, Department of Kayachikista and PG studies in Manas roga, Vaidyaratnam PS varier Ayurveda College, Kottakkal, Kerala (India)

[Dr. U. Srinivasa](#), Professor and Head, Department of Pharmacognosy and Phytochemistry, Srinivas College of Pharmacy, Valachil, Arkula, Karnataka (India)

[Dr. Vildan Mevsin](#), Professor, Department of Family Medicine, Dokuz Eylul University School of Medicine, Izmir, Turkey

[Dr. Waheed Ali Panhwar](#), Assistant Professor, Department of Zoology, Shah Abdul Latif University, Khairpur, Sindh (Pakistan)

Submission : up
to
25th November

Editorial
decision: 48 hrs




[Call for paper
details](#)

[Dr. Badmanaban R.](#), Professor and Head, Department of Pharmacognosy, Nirmala College of Pharmacy, Muvattupuzha, Ernakulum, Kerala-686661, (INDIA)

Join Editorial Board of WJARR an International Journal (2022-2023)

World Journal of Advanced Research and Reviews (WJARR) is committed to have dynamic and potential **Editorial board members**. We are currently expanding our editorial board for the year 2022-2023. To act as Editorial Board Members, the active researcher with excellent background in all the subject area falling within our journals scope can [Join us](#).

Journal Indexing





World Journal of Advanced Research and Reviews

WJARR UGC Approved International Journal with High Impact Factor for fast publication of Research and Review articles

[HOME](#)
[ABOUT US](#)
[VIEW ARTICLES](#)
[AUTHOR'S GUIDELINES](#)
[JOIN US](#)
[DOWNLOADS](#)
[CONTACT US](#)

Important Links

[Submit Manuscript](#)
[Call for Special Issue](#)
[Article Processing Fee](#)
[Track Manuscript](#)
[Journals Policies](#)
[Publication Ethics and Malpractice Statement](#)

Call for Paper

Vol. 16, Issue 2,
November 2022

Highly Indexed: World Journal of Advanced Research and Reviews

Indexed journal

Indexation of a journal is considered a reflection of its quality. **Indexed journals** are considered to be of higher scientific quality as compared to non-indexed journals. Over the years, many other popular indexation services have developed. These include Google Scholar, Crossref, SCILIT, Bibsonomy, BASE, CAS-American Chemical Society, MedLine, PubMed, OpenAIRE, Directory of Journal Indexing (DRJI), Index Copernicus, Science gate, SCOPUS, Cite Factor, DOAJ etc.

World Journal of Advanced Research and Reviews is Highly Indexed Journal
















World Journal of Advanced Research and Reviews which is **International Journal with High Impact factor 7.8** is also a **Multidisciplinary journal** that publishes manuscripts, original research articles and review articles, mini-reviews, short communication and Case reports in the different areas of Biology, Pharmacy, Medicine, Nursing, Health Sciences, Agriculture, Veterinary, Applied Sciences, Engineering and Technology Research. World Journal of Advanced Research and Reviews is **abstracted and indexed** in various International and National databases such as Google Scholar, Crossref, SCILIT, Bibsonomy, BASE, CAS-American Chemical Society, OpenAIRE, Directory of Journal Indexing (DRJI), Index Copernicus, Science gate, Cite Factor etc.

Submission : up
to
25th November

Editorial
decision: 48 hrs

[Call for paper
details](#)

Journal Indexing



Google Scholar

World Journal of Advanced Research and Reviews is Google Scholar Indexed Journal. Metadata of all Articles published is submitted immediately to Google Scholar. Almost all articles appear on Google Scholar within a week after online publication of articles. Few articles may take 2-3 weeks to get appeared on Google Scholar.

Crossref

World Journal of Advanced Research and Reviews is Crossref Indexed Journal. Journal provides Crossref DOI and Updated Crossref mark to each article free of cost. Metadata of all Articles published is submitted immediately to Crossref website. Crossref DOI and Crossref Mark become active within 1 day after online publication of articles.

CAS Source Index

World Journal of Advanced Research and Reviews is provided with international

identifier CODEN (USA): WJARAI by CAS, CODEN is a six character, alphanumeric bibliographic code, that provides concise, unique and unambiguous identification of the titles of periodicals and non-serial publications from all subject areas. All the articles published by World Journal of Advanced Research and Reviews are indexed at CAS Source Index.

[Index Copernicus Indexed Journal](#)

World Journal of Advanced Research and Reviews is Indexed in Index Copernicus World of Journals List. Metadata of all the articles published in the journal is submitted to Index copernicus for indexing along with full text. Any one can access fulltext at Index copernicus website also.

[SCILIT Indexed Journal](#)

Scilit is a comprehensive, free database for scientists using a new method to collate data and indexing scientific material. All the articles published by World Journal of Advanced Research and Reviews are crawled by SCILIT bots and indexed.

[Bibsonomy](#)

BibSonomy is a social bookmarking and publication-sharing system which preserve scientific articles. Each articles published by World Journal of Advanced Research and Reviews is deposited to Bibsonomy within 15 days of publication. This improves visibility of published articles.

[Preservation at LOCKSS](#)

All the articles published at World Journal of Advanced Research and Reviews are deposited to repository LOCKSS through PKPPN. This ensure that all published articles will remain on web for lifetime.

[Worldcat](#)

WorldCat is the world's largest library catalog, helping you find library materials online. Articles published in World Journal of Advanced Research and Reviews are indexed at Worldcat. With this articles can be discovered by millions of people where they work every day—on the Web

[OpenAIRE](#)

The OpenAIRE Research Graph is one of the largest open scholarly record collections worldwide, key in fostering Open Science and establishing its practices in the daily research activities. Articles published at World Journal of Advanced Research and Reviews are indexed at OpenAIRE within 15 days after publication.

[Other Indexing agencies](#)

World Journal of Advanced Research and Reviews an International Journal is also indexed at Directory of Journal Indexing (DRJI), Science gate, Cite Factor, Global

scholar Index, Research Gate, Academia edu, Microsoft academics, Bing search engine, Google search engine, Yandex search engine etc.

eISSN: 2581-9615

CODEN(USA): WJARAI

Impact Factor 7.8

GIF

Value 90.12

World Journal of Advanced Research and Reviews (WJARR) is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International license. Permissions beyond the scope of this license may be available at www.wjarr.com This site can be best viewed in modern browser like Google chrome.

Copyright © 2022, World Journal of Advanced Research and Reviews

Designed by [VS Infosolution](#)



World Journal of Advanced Research and Reviews

WJARR

UGC Approved International Journal with High Impact Factor for fast publication of Research and Review articles

HOME

ABOUT US

VIEW ARTICLES

AUTHOR'S GUIDELINES

JOIN US

DOWNLOADS

CONTACT US

Important Links

Submit
Manuscript

Call for Special
Issue

Article
Processing Fee

Track
Manuscript

Journals Policies

Publication
Ethics and
Malpractice
Statement

Call for Paper

Vol. 16, Issue 2,
November 2022

Volume 15 - Issue 3 (September 2022)

Discovering associated factors behind road accidents using association rule mining: A case study from Gujarat, Pakistan

M. Tariq, N. Q. Mehmood, S. Z. Mahfooz

Article DOI: 10.30574/wjarr.2022.15.3.0885 DOI url: <https://doi.org/10.30574/wjarr.2022.15.3.0885>

[View Abstract](#)

[Download PDF](#)

Unusual finding in a diagnostic bronchoscopy of a patient with brain metastatic lung cancer

Selma Abdala, Salma Aitbatahar, Lamyae Amro

Article DOI: 10.30574/wjarr.2022.15.3.0883 DOI url: <https://doi.org/10.30574/wjarr.2022.15.3.0883>

[View Abstract](#)

[Download PDF](#)

Study of forage species of the maritime region of Togo used in livestock feed

Elie Brigitte Mawussi, Larounga Tchaniley, Amen Yawo Nononene, Abalo Kulo

Article DOI: 10.30574/wjarr.2022.15.3.0869 DOI url: <https://doi.org/10.30574/wjarr.2022.15.3.0869>

[View Abstract](#)

[Download PDF](#)

Commentary about treatment of male hypogonadism with clomiphene citrate compare to treatment with testosterone

A. Manov

Article DOI: 10.30574/wjarr.2022.15.3.0918 DOI url: <https://doi.org/10.30574/wjarr.2022.15.3.0918>

[View Abstract](#)

[Download PDF](#)

Factors affecting procurement performance in selected municipal assemblies in the Kumasi Metropolis, Ghana

Kwasi Boateng Adjepong, Augustine Anane

Article DOI: 10.30574/wjarr.2022.15.3.0911 DOI url: <https://doi.org/10.30574/wjarr.2022.15.3.0911>

[View Abstract](#)

[Download PDF](#)

Effects of *Rourea coccinea* ethanolic root extract on ovalbumin-induced allergic asthma in rats

Kossivi DOSSEH, Kokou IDOH, Wilfrid Kpèdétin Dieudonné AGBODJOGBE, Amegnona AGBONON

Article DOI: 10.30574/wjarr.2022.15.3.0891 DOI url: <https://doi.org/10.30574/wjarr.2022.15.3.0891>

[View Abstract](#)

[Download PDF](#)

Conventional surgical excision for the treatment of Peripheral Cemento-Ossifying Fibroma Posterior Maxilla: Case report

Astrid Bernadette Ulina Purba, Gatot Baydowi, Ganendra Anugraha

Article DOI: 10.30574/wjarr.2022.15.3.0936 DOI url: <https://doi.org/10.30574/wjarr.2022.15.3.0936>

[View Abstract](#)

[Download PDF](#)

Formulation and evaluation of transdermal patches of leaf ethanol extract *Lantana Camara* Linn with ethyl cellulose-poly vinyl pyrrolidone polymer variations

**Raghuveera Hathibelagal Goruva, Anjaneyulu Vinukonda, Neelesh Chaubey,
Harish Pandey**

Article DOI: [10.30574/wjarr.2022.15.3.0972](https://doi.org/10.30574/wjarr.2022.15.3.0972)

DOI url: <https://doi.org/10.30574/wjarr.2022.15.3.0972>

[View Abstract](#)

[Download PDF](#)

**Measurement of coagulation profiles (PT and APTT) among
pregnant women with recurrent abortion in Sudan**

**Suad AlRashied Yousif, Amal Omer Ahmed, Aya Omer Mohammed, Babikir
Abd Alnasir, Ahazeeg AlHaj AlTaybe, Rabab Hassan Elshaikh**

Article DOI: [10.30574/wjarr.2022.15.3.0956](https://doi.org/10.30574/wjarr.2022.15.3.0956)

DOI url: <https://doi.org/10.30574/wjarr.2022.15.3.0956>

[View Abstract](#)

[Download PDF](#)

eISSN: 2581-9615

CODEN(USA): WJARAI

Impact Factor 7.8

GIF

Value 90.12

World Journal of Advanced Research and Reviews (WJARR) is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International license. Permissions beyond the scope of this license may be available at www.wjarr.com This site can be best viewed in modern browser like Google chrome.

Copyright © 2022, World Journal of Advanced Research and Reviews

Designed by [VS Infosolution](#)



(RESEARCH ARTICLE)



Effects of *Rourea coccinea* ethanolic root extract on ovalbumin-induced allergic asthma in rats

Kossivi DOSSEH^{1,2,*}, Kokou IDOH¹, Wilfrid Kpèdétin Dieudonné AGBODJOGBE³ and Amegnona AGBONON¹

¹ *Laboratory of Physiology and Pharmacology, Faculty of Sciences, University of Lome (Togo); 01BP: 1515 Lome1 – Togo.*

² *National Institute of Youth and Sports, University of Lomé (Togo); 01BP: 1515 Lome1 – Togo.*

³ *Laboratory of Effort Physiology, National Institute of Youth, Physical Education and Sport, University of Abomey-Calavi (Benin); 01 BP: 169 Porto-Novo Benin.*

World Journal of Advanced Research and Reviews, 2022, 15(03), 269–277

Publication history: Received on 31 July 2022; revised on 13 September 2022; accepted on 29 September 2022

Article DOI: <https://doi.org/10.30574/wjarr.2022.15.3.0891>

Abstract

Rourea coccinea (*syn. Byrsocarpus coccineus*) Schum. and Thonn. (Connaraceae) is a medicinal plant that is being used for the treatment of various disorders in Tropical Africa. Previously, we reported anti-inflammatory and antioxidant effects of ethanolic extract of *R. coccinea* root bark (EERc). The present study aimed to test protective potential effects of EERc treatments against ovalbumin-induced airway lung inflammatory and to investigate some of its possible underlying mechanism on allergic asthma. Rats were sensitized and challenged with ovalbumin (OVA), and were orally treated daily with EERc at 200, 400 and 800 mg/kg from day 24 to day 27 post sensitization. The number of total and differential inflammatory cells, leakage of Evans blue dye tracer, histamine and TNF- α level in bronchoalveolar lavage (BAL) fluid were measured. OVA instillation induced airway lung inflammation, which was significantly suppressed by pre-treatment with EERc. Analysis of bronchoalveolar lavage (BAL) revealed that EERc pre-treatment significantly inhibited leukocytosis and reduced Evans blue dye content in the BAL fluid. EERc also significantly decreased the production and release of histamine and TNF- α . Our study shows that EERc possesses significant anti-allergic activity which might be attributed to reduction of histamine, TNF- α in the BAL fluid.

Key word: *Rourea coccinea*; Ovalbumin; Asthma; TNF-A; Inflammatory Cells; Histamine.

1. Introduction

Asthma has been generally recognized as a disease characterized by variable degree of chronic inflammations and structural alterations of the airways [1]. Asthma affects individuals of all ages in countries around the world. Nearly 350 million people are affected in the world and its prevalence has continuously increased [2]. It is a health problem that can be serious and sometimes fatal. The inflammatory response in the asthmatic lung is characterized by infiltration of the airway wall by leukocytes [3, 4], and is closely associated with the leakage of plasma proteins from the microvasculature into airways [5]. The microvascular leakage facilitates airway oedema, which may consequently produce epithelial cell damage, bronchospasm, and airway obstruction. This phenomenon has been modeled in rats that were sensitized and challenged with ovalbumin [6, 7].

Ovalbumine is known to be an important agent in the development of bronchial-asthma model in rats, by increasing the levels of cytokine in BAL fluid and serum, and by the migration of inflammatory cells (leukocytes such as macrophages, lymphocytes, mast cells, neutrophils, and eosinophils) into areas of inflammation (8, 9).

□Corresponding author : Kossivi DOSSEH

Laboratory of Physiology and Pharmacology, Faculty of Sciences, University of Lome (Togo); 01BP: 1515 Lome1 – Togo.

Copyright © 2022 Author(s) retain the copyright of this article. This article is published under the terms of the Creative Commons Attribution License 4.0. These leukocytes, once arrived at the site of inflammation, release pro-inflammatory substances that cause vasodilation, increase vascular permeability and vascular leakage [10, 11]. Mast cells, which are constituent of virtually all organs and tissues are important mediators of inflammatory responses such as allergy [12]. Among inflammatory mediators released from mast cells, histamine remains the best characterized and most potent vasoactive mediator implicated in acute phase of hypersensitivity [12]. Tumor necrosis factor-alpha (TN- α) is also produced by various cell types in response to allergic pulmonary inflammation, including mast cells, macrophages, neutrophils, eosinophils, and epithelial cells [13]. Therefore, suppression of these pro-inflammatory substances may constitute effective therapeutic targets for the treatment of allergic asthma. Due to the various undesirable adverse effects of conventional drugs, the use of natural compounds that have an antioxidant and anti-inflammatory activity might be a useful therapeutic approach because several researches proved that oxidative stress is one of the important determinants of asthma [14]. Hence, many plants have been used in traditional medicine because of their potential safety and efficacy.

Rourea coccinea (syn. *Byrsocarpus coccineus*) Schumach. & Thonn, which belongs to the family of Connaraceae, is widely used traditionally to treat inflammation related diseases. Many studies have shown that leaf extract of *B. coccineus* has hepatoprotective [15], antioxidant [15, 16, 17] and anti-proliferative effects [18]. In our previous study, ethanolic extract root bark of *Rourea coccinea* (EERc) was found to possess anti-inflammatory property [19] and antioxidant activity [20] but the underlying mechanism of these properties is unknown. The aim of this study is to uncover the potential antiinflammatory function and mechanism of *R. coccinea* by using an OVA-induced allergic asthma in rats.


2. Materials and methods

2.1 Preparation of *B. coccineus* root extract

Matured roots of *R. coccinea* were collected around the campus of “Université de Lomé” in February 2021 and authenticated by the botanist at the Department of Botany (“Université de Lomé”). A voucher specimen is deposited in the Herbarium of the department under reference Number TG12604. Root barks were dried at room temperature and powdered. The powder (10 g) was extracted with continuous agitation in ethanol 95° (100 mL) for 72h. The extract was filtered and evaporated at 40°C under reduced pressure. The extraction yield of dried extract was approximately 13.84%.

2.2 Rat sensitization, challenge, and treatment

Animals, except those of non-sensitized or normal control group (NS), were actively sensitized by intraperitoneal injection of 10 mg/kg ovalbumin (OVA) (grade V; Sigma, St. Louis, MO, USA) mixed with 40 mg/kg aluminum hydroxide as adjuvant in normal saline (0.9%) [21]. Non-sensitized (NS) animals were injected with aluminum hydroxide (40 mg/kg) only. Sensitizations were performed 4 times at days 0; 3; 7 and 21. On days 24-27, OVA control (SNT) rats and EERc groups (ST) were challenged with intranasal (I.N.) instillation of 50 μ L of a normal saline solution of OVA (20%). Normal control rats (NS) were challenged with 50 μ L of normal saline (Figure 1). Thirty minutes before each I.N. and sacrifice on day 28, normal control group and OVA control were orally treated with normal saline (10 mL/kg) and EERc groups were orally treated with different doses of EERc (400 and 800 mg/kg).



OVA control (SNT) rats and EERC groups (ST) were sensitized intraperitoneally on days 0, 3, 7 and 21 (D0, D3, D7 and D21), and challenged intranasally on days 24, 25, 26 and 27 (D24, D25, D26 and D27). Animals were administered vehicle or EERC from days 24 to 28, 30 min before each I.N. Challenge. All animals were sacrificed on day 28. I.N.: intranasal; I.P.: intraperitoneal; EERC: R. coccinea root bark ethanolic extract.

Figure 1 Rats' sensitization and challenge flowchart

2.3 Bronchoalveolar lavage (BAL) fluid

At 24 hours after the last OVA challenge, bronchoalveolar lavage (BAL) was performed by cannulating the trachea and infusing the lung with 5 mL of sterile normal saline solution. BAL fluid was obtained by two aspirations via tracheal cannulation [21]. Recovery rate of BAL fluid was approximately 78 to 84%. Part of the BAL fluid is used for the white blood cell count. The rest of the BAL is centrifuged (1500 rpm for 5 min) and stored at -80°C for further tests.

2.4 Determination of leukocytes migration to the bronchoalveolar lavage (BAL) fluid

In order to evaluate the potential activity of the plant on leukocytes migration in this model, animals were orally treated 30 min before each OVA intranasal instillation with sterile normal saline solution (10 mL/kg) or different doses of EERC (400 and 800 mg/kg). The non-sensitized groups were considered as the basal and treated with the same volume of sterile saline (vehicle, 10 mL/kg). The total number of leukocytes/mL in BAL fluid was determined using the Malassez technique.

2.5 Histamine assay

For histamine assay, ovalbumin was instilled through days 24 to 28 and the BAL fluid was collected 30 min after the last instillation. Content of histamine in BAL fluid was measured using colorimetric method [22]. In brief, 0.5 mL of sample mixed with both 0.1 mL of 1% sulfanilic acid and 0.1 mL of 5% aqueous sodium nitrite solution was incubated for 10 min. At the end of the incubation period, 1.3 mL of aqueous sodium carbonate (5%) was added to the mixture and two minutes later, 1 mL of ethanol 75° was added. In the interval of 20 min, the absorbance was measured at 530 nm.

2.6 TNF α assay

Concentrations of TNF- α in BAL fluid were quantified using commercially available enzyme-linked immune-sorbent assay (ELISA) kits (RayBio® Rat TNF-alpha, Aachen, Germany). The assay was performed according to the manufacturer's instructions. Cytokine concentrations were expressed in pg. mL⁻¹.

2.7 Vascular permeability assay

Vascular leakage was assessed using Evans Blue dye as a marker for albumin extravasation as described previously [21]. Rats were sensitized and challenged with ovalbumin as described above. Twenty-four hours after the last intranasal instillation, animals were anesthetized with urethane at 1 g/kg. To evaluate the plasma leakage, Evans Blue (30 mg/kg) was administered through the tail vein. Five minutes later, rats were sacrificed by overdose of urethane. Lungs were washed as described previously. The absorbance of the BAL fluid was determined at 620 nm using spectrophotometer (UV-160A, Shimadzu, Kyoto, Japan). Evans Blue was dissolved in normal saline and diluted (0-10 μ g. mL⁻¹ /mL) to generate the standard curve. The amount of Evans Blue permeated into the lung airway was calculated with the standard curve.


2.8 Statistical analysis

Data are expressed as mean \pm standard error of mean (SEM). Statistical comparisons were performed using one-way analysis of variance (ANOVA) followed by Tukey post-hoc test. Results were considered to be significant at $P < 0.05$. All statistical analyses were carried out using GraphPad Prism 5.00 (GraphPad Software Inc., CA, USA).

3. Results

3.1 Inflammatory cell counts in bronchoalveolar lavage (BAL) fluid

BAL fluid was collected and the total cells count was determined. The total cell counts in the BAL fluid of OVA control rats were significantly increased compared with the normal control group ($3760 \times 10^3 \pm 297,99$ vs. $820 \times 10^3 \pm 130,42$, $P < 0.01$) (Figure 2). As shown in Figure 2, EERC (400 or 800 mg/kg) treatment before OVA inhalation, led to significant lowering of the number of total cells count ($3760 \times 10^3 \pm 297,99$ for OVA-sensitive rat vs $2255,5 \times 10^3 \pm 218,301$ and $2139,65 \times 10^3 \pm 135,84$ for 400 and 800 mg/kg of EERC respectively, $P < 0.01$).




Data are expressed as Mean ± S.E.M, n=5; NS = Non-sensitized group received sterile saline; SNT = Sensitized group treated with saline; ST400, ST800: sensitized and treated groups with the ethanolic extract of the root of *R. coccinea* 400 and 800 mg/kg, p.o.; ###*P* < 0.001 compared with non-sensitized; ****P* < 0.001 compared with sensitized.

Figure 2 Effect of EERc on the recruitment of inflammatory cells in BAL fluid obtained from OVA-induced asthma model in rat

3.2 Effect of *R. coccinea* on histamine release in bronchoalveolar lavage fluid

OVA-challenge of OVA-sensitized rats significantly (*P* < 0.001) increased the histamine content of BAL fluid compared to the normal control (11.535 ± 0.26 to 24.59 ± 3.32 µg/ml). EERc dosed at 400 and 800 mg/kg significantly (*P* < 0.05; *P* < 0.01) decreased the histamine content by 14.99 ± 1.80 µg/ml and 12.15 ± 0.45 µg/ml in BAL fluid, compared to the OVA-challenged control, respectively (Figure 3).




Data are expressed as Mean ± S.E.M, n=5; NS = Non-sensitized group; SNT = Sensitized group treated with saline; ST400, ST800: EERc treated groups with 400, 800 mg/kg, p.o., ###*P* < 0.001 compared with non-sensitize. **P* < 0.05 and ***P* < 0.01 compared with sensitized.

Figure 3 Histamine levels in bronchoalveolar lavage in 4 groups of rats

3.3 Effect of *R. coccinea* root ethanolic extract on the TNF-α concentration in bronchoalveolar fluid

Figure 4 shows that the TNF-α concentration in the BAL fluid of untreated but sensitized rats (SNT) is significantly higher (*P* < 0.05) than that of non-sensitized rats (NS) (1439.00 ± 296.40 pg/mL vs 522.00 ± 54.85 pg/mL). This result indicates that sensitization to ovalbumin followed by intranasal instillation of the same allergen creates an asthmatic state in Wistar rats. This asthmatic model is therefore a reliable tool for the study of antiasthmatic substances. The groups sensitized/kg, and treated with the extract at 400 and 800 mg/kg respectively revealed a decrease in the TNF-α


concentration (1146.00 ± 172.80 pg/mL and 78.50 ± 47.68 pg/mL) with significance ($P < 0.05$) at the 800 mg/kg dose compared to the untreated sensitized group.



Data represent means \pm S.E.M; n = 5. [#] $P < 0.05$ Tukey's Multiple Comparison Test between non sensitized group (NS: normal control) and sensitized group (SNT: OVA control); ^{*} $P < 0.05$ Tukey's Multiple Comparison Test between sensitized group (SNT) and extract groups ST400 and ST800. **Figure 4** Effect of EERc on the TNF- α level in BAL fluid

3.4 Effect of *R. coccinea* extract (EERc) on ovalbumin-induced plasma leakage in sensitized rats

Results of EERc showed a dose-dependent inhibitory effect on OVA-induced vascular permeability in rats. Intranasal administration of OVA to OVA-sensitized control rats (SNT) increased vascular permeability by 93.31% ($P < 0.001$) compared to non-sensitized rats (NS). The values of Evans blue concentration in the BAL are 3.69 ± 0.37 μ g/mL in the non-sensitized control rats and 7.13 ± 0.59 μ g/mL in the sensitized control rats. Pretreatment with the extract at 400 and 800 mg/kg caused significant ($P < 0.001$) (43.24% and 45.01%) inhibition of vascular permeability in the airways compared to the untreated sensitized group. The concentrations of Evans blue in the BAL fluid are respectively 4.05 ± 0.30 μ g/mL for the 400 mg/kg dose and 3.92 ± 0.37 μ g/mL for the 800 mg/kg dose (Figure 5).



Data are means \pm S.E.M; n = 5. ^{###} $P < 0.001$ Tukey's Multiple Comparison Test between non sensitized group (NS: normal control) and sensitized group (OVA control); ^{***} $P < 0.001$ Tukey's Multiple Comparison Test between sensitized group (SNT) and extract groups ST400 and ST800.

Figure 5 Effect of *R. coccinea* extract (EERc) on ovalbumin-induced plasma leakage in sensitized rats

4. Discussion

Asthma is a chronic inflammatory airway disease in which multiple complex pathways are involved. Because of its chronic nature, long term medications are required for therapy. Although, there are numerous conventional medicines

available, they are unable to prove satisfactory because, they are unable to block all mechanisms that are responsible for causing asthma, low efficacy, various adverse effects, desensitization of receptor and compliance issue.

In this study, we explored the potential protective effects against OVA-induced airway lung inflammatory and

investigated the mechanism of action of EERC, an extract which recently demonstrated anti-inflammatory and antioxidant activities [19, 20]. The present study has demonstrated for the first time that EERC had potent anti-inflammatory activity in a murine model of allergic airway inflammation. The suppressive effects of EERC on airway inflammation in rats was showed by a marked decrease in airway recruitment of inflammatory cells, in levels of Evans Blue, histamine and TN- α into BAL fluid.

OVA-induced asthma results from chronic airway inflammation characteristically associated with the infiltration of macrophages, lymphocytes, mast cells, neutrophils and eosinophils into the bronchial lumen [8, 9]. Depletion of these leukocytes in the airways of rats sensitized to ovalbumin inhibits the asthmatic reaction [23]. Results obtained in this study suggest that *R. coccinea* root ethanolic extract might have acted on the passage of leukocytes to the respiratory tract. The total cell number in the BAL fluid were increased after the induction of asthma and significantly decreased by EERC treatment (Fig. 1). Similar results were obtained with *Pluchea ovalis* ethanolic extract in rats [21] and *Juglans regia* ethyl acetate extract in mice. [24]. Previously, *R. coccinea* root bark ethanolic extract has shown inhibitory activity on edema [19]. Data relating to the present study reveal possibilities for the extract mechanisms of action, such as the inhibition of cell migration to the site of inflammation, as observed for reduction of leukocyte migration in OVA-induced asthma model in rat. This could also be the reason why this plant extract promoted reduction of carrageenan-induced paw edema, meaning that its anti-edematogenic action could be due to fewer cell influxes in to the tissue after inflammatory stimuli.

Leukocytes, once arrived at the inflammatory site, release pro-inflammatory substances that cause vasodilation, increased vascular permeability and vascular leakage [10, 11]. Because EERC shows the suppressive effect on leucocytes migration, we examined whether the inhibitory effect of EERC on degree of Mast cells and neutrophils. After migrating into lung tissue, mast cells secrete pro-inflammatory mediators, such as histamine [25]. Histamine is a primary amine released by mast cells after IgE cross-linking by an allergen, with effects such as vasodilatation, mucus hypersecretion, oedema and smooth muscle cell contraction [26, 27, 28]. In this study, a significant increase in histamine levels in OVA-control animals was indicative of the inflammation of lung tissue and the release of mediators. Treatment with EERC significantly decreased histamine levels compared to OVA-control animals.

Various in vivo and in vitro studies have implicated the role of cytokines including TNF- α , in asthmatic airway inflammation. In asthma, TNF- α blocking activity can be reflected as a possible therapeutic option in patients who are majorly dependent on corticosteroid therapy [29]. TNF- α is abundantly found in asthmatic airways and is considered as pro-inflammatory cytokine [30]. We found significantly increased TNF- α expression levels in OVA-control group as compared with normal control group. The current study also showed that treatment with EERC significantly suppressed the expression levels of TNF- α as compared with positive control or OVA-control. Similar results were obtained with methanol extract and its fractions (n-hexane and ethyl acetate) of *Juglans regia* kernels in mice [31]. The attenuation of allergic airway inflammation by EERC may be, in part, attributed to the suppression of TNF- α or may be responsible for the reduction of the number of leucocytes observed.

The leakage of plasma proteins from the microvasculature into airway tissue is an important consequence of asthmatic airway inflammation. The amount of this microvascular leak increases in proportion to the severity of inflammation. The leakage of plasma proteins into the alveolar space depends on the loosening of the vascular endothelium [32, 33]. The leakage of plasma proteins was evaluated by measuring the tissue accumulation of Evans blue dye, which binds to proteins. Consistent with the previous findings, the results of the present investigation also showed that in OVA-induced rats, total protein content in BAL fluid increased compared to the normal control group, whereas EERC administration reduced total protein content in BAL fluid [32]. The present experimental model was undertaken on ovalbuminsensitized rats that were evoked with intraperitoneal injection of ovalbumin. Our results show that either of ovalbumin can cause microvascular leakage into the airway tissue. The microvascular leakage was observed to be distributed throughout the trachea, bronchi, and intrapulmonary airways. The increase in airway microvascular leakage induced by ovalbumin could be inhibited by pretreatment with EERC ($P < 0.5$).

5. Conclusion

In this study, we show that pretreatment with EERC prevented the development of inflammatory cells lung infiltration in an OVA-induced asthma in rat model. We provided evidence that the anti-inflammatory effect of EERC is associated with, at least in part, the reduction of the infiltration of various inflammatory cells, including eosinophils, mast cells and neutrophils and of the inhibition of pro-inflammatory mediators such us histamine, and TNF α . These activities may be the partial mechanism of the action of EERC. Although *R. coccinea* has not been prescribed for lung diseases,

our study suggests a potential usage of this plant in curing inflammatory lung diseases, which warrants additional studies. Based on our results, we propose that *R. coccinea* can be a new therapeutic option for asthma.

Compliance with ethical standards

Acknowledgments

My thanks to Professor Messanvi GBEASSOR, Director of the Physiology and Pharmacology Laboratory of the faculty of science, for introducing me to this technique. My thanks also to all my training teachers at University of Lome and CHU Sylvanus Olympio of Lome, Republic of Togo.

Disclosure of conflict of interest

The author declares no conflict of interest.

Statement of ethical approval

The animals were maintained throughout of experiment in accordance with the recommendations of the guide for the care and use of laboratory animals.

References

- [1] Pascual RM, Peters SP. Airway remodeling contributes to progressive loss of lung function in asthma: an overview. *Journal of Allergy and Clinical Immunology*. 2005 ; 116:477-86.
- [2] Vos T, Allen C, Arora M, Barber RM, Bhutta ZA, Brown A. et al. Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015 : a systematic analysis for the Global Burden of Disease Study 2015. *The Lancet*. 2016 ; 388 : 1545-1602.
- [3] Barnes PJ. Cytokines as mediators of chronic asthma. *American Journal of Respiratory and Critical Care Medicine*. 1994 ; 150 : 42-49.
- [4] Barnes PJ. Cytokine-directed therapies for the treatment of chronic airway diseases. *Cytokine & Growth Factor Reviews*. 2003 ; 14, 511-522.
- [5] Chung KF, Rogers DF, Barnes PJ, Evans TW. The role of increased airway microvascular permeability and plasma exudation in asthma. *European Respiratory Journal*. 1990; 3: 329-337.
- [6] Ware LB. Pathophysiology of acute lung injury and the acute respiratory distress syndrome. *Seminars in Respiratory and Critical Care Medicine*. 2006; 27: 337-349.
- [7] El-Agamy DS. Nilotinib ameliorates lipopolysaccharide induced acute lung injury in rats. *Toxicology and Applied Pharmacology*. 2011; 253: 153-160.
- [8] Mukherjee AA, Kandhare AD, Rojekar SR and Bodhankar SL. Ameliorative effects of *Artemisia pallens* in a murine model of ovalbumin-induced allergic asthma via modulation of biochemical perturbations. *Biomedicine & Pharmacotherapy*. 2017 ; 94: 880-889.
- [9] Marefati N, Eftekhari N, Kaveh M, Boskabadi J, Beheshti F and Boskabady MH. The Effect of *Allium cepa* Extract on Lung Oxidant, Antioxidant, and Immunological Biomarkers in Ovalbumin-Sensitized Rats. *Medical Principles and Practice*. 2018 ; 27: 122-128.
- [10] Lindner I, Meier C, Url A, Unger H, Grassauer A, Priesch-Grassauer E, Doerfler PR. Beta-escin has potent antiallergic efficacy and reduces allergic airway inflammation. *BMC Immunology*. 2010 ; 11: 1471-2172.
- [11] Awortwe C, Sackeyfio AC, Osei-Safo Dorcas, Bugyei KA, Asiedu-Gyekye IJ. Dual effect of *Taraxacum officinale* leaves: Anticholinergic and inhibitory effect on inflammatory cells in ovalbumin-sensitized guinea-pigs. *African Journal of Pharmacy and Pharmacology*. 2011 ; 5: 2613-2619.
- [12] Kim SH, Choi CH, Kim SY, Eun JS, Shin TY. Anti-allergic effects of *Artemisia wayomogi* on mast cell mediated allergy model. *Journal of Pharmacology and Experimental Therapeutics*. 2005; 230: 82-88.

- [13] Thomas PS, Yates DH, Barnes PJ. Tumor necrosis factor- α increases airway responsiveness and sputum neutrophilia in normal human subjects. *American Journal of Respiratory and Critical Care Medicine*.1995; 152:76-80.
- [14] Almohawes ZN, Alruhaimi HS. Effect of *Lavandula dentata* extract on Ovalbumin-induced Asthma in Male Guinea Pigs. *Brazilian Journal of Biology*. 2020 ; 80(1): 87-96.
- [15] Akindele AJ, Ezenwanebe KO, Anunobi CC, Adeyemi OO. Hepatoprotective and in vivo antioxidant effects of *Byrsocarpus coccineus* Schum. and Thonn. (Connaraceae). *Journal of Ethnopharmacology*. 2010 ; 129 : 46-52.
- [16] Dada OK, Akindele AJ, Morakinyo OA, Sofidiya MO, Ota D. Hypoglycemic and antioxidant activities of the hydroethanolic leaf extract of *Byrsocarpus coccineus* Schumach. and Thonn. (Connaraceae). *Chinese Journal of Natural Medicines*. 2013 ; 11: 628-637.
- [17] Ukwade CE, Ebuehi OAT, Adisa RA. Phytochemical and Cytotoxic Screening of Selected Medicinal Plants (*Byrsocarpus coccineus*, *Terminalia avicennioides* and *Anogeissus leiocarpus*) Using Brine Shrimp (*Artemia salina*) Lethality Assay. *European Journal of Nutrition & Food Safety*. 2020 ; 12(9): 60-71.
- [18] Ukwade CE, Ebuehi OAT, Adisa RA, Singh SK, Singh R. Anti-proliferative activities of *Byrsocarpus coccineus* Schum. and Thonn. (Connaraceae) using Ovarian Cancer Cell Lines. *Journal of Ovarian Research*. 2020 ; 13(83) : 1-12.
- [19] Dosseh K, Kpatcha T, Adjrah Y, Idoh K, Agbonon A, Gbéassor M. Anti-inflammatory effect of *Byrsocarpus coccineus* Schum. and Thonn. (Connaraceae) root. *World Journal of Pharmaceutical Research*. 2014 ; 3: 35853598.
- [20] Dosseh K, Agbonon A, Gbeassor M. Antioxidant and toxicological studies of ethanolic root extract of *Byrsocarpus coccineus*. *Journal of Medicinal Plants Research*. 2015 ; 9: 940-949.
- [21] Agbonon A, Aklikokou K, Eklu-Gadegbeku K, Akpagana K, Gbeassor M. Effect of ethanolic extract of *Pluchea ovalis* root in asthma model of Wistar rat. *Boletin Latinoamericano y del Caribe de Plantas Medicinales y Aromaticas*. 2005 ; 4: 52-59.
- [22] Yang XX, Powell WS, Hojo M and Martin JG. Hyperpnea-induced bronchoconstriction is dependent on tachykinininduced cysteinyl leukotriene synthesis. *Journal of Applied Physiology*. 1997; 82:538-544.
- [23] Schuster M, Tschernig T, Krug N and Pabst R. Lymphocytes migrate from the Blood into the bronchoalveolar lavage and lung parenchyma in the asthma model of the brown Norway rat. *American Journal of Respiratory and Critical Care Medicine*. 2000 ; 161: 558-566.
- [24] Sharif M, Anjum I, Shabbir A, Mushtaq MN. Antiasthmatic effect of *Juglans regia* Linn. in mice. *Pakistan Journal of Pharmaceutical Sciences*. 2021 ; 34(2): 679-686.
- [25] Palmqvist C, Wardlaw AJ, Bradding P. Chemokines and their receptors as potential targets for the treatment of asthma. *British Journal of Pharmacology*. 2007; 151, 725-736.
- [26] White MV. The role of histamine in allergic diseases. *Journal of Allergy and Clinical Immunology*. 1990; 86: 599605.
- [27] Gelfand EW. Role of histamine in the pathophysiology of asthma: immunomodulatory and anti-inflammatory activities of H1-receptor antagonists. *American Journal of Medicine*. 2002; 113: 2S-7S.
- [28] Marone M, Genovese A, Triggiani M. The histamine-cytokine network in allergic inflammation. *Journal of Allergy and Clinical Immunology*. 2003; 112, 83-88.
- [29] Babu KS, Davies DE, Holgate TS. Role of tumor necrosis factor alpha in asthma. *Immunology and Allergy Clinics of North America*. 2004 ; 24 : 583-597.
- [30] Rana S, Shahzad M, Shabbir A. *Pistacia integerrima* ameliorates airway inflammation by attenuation of TNF- α , IL4, and IL-5 expression levels, and pulmonary edema by elevation of AQP1 and AQP5 expression levels in mouse model of ovalbumin-induced allergic asthma. *Phytomedicine*. 2016 ; 23(8) : 838-845.
- [31] Sharif M, Anjum I, Shabbir A, Syed SK, Mobeen I, Shahid MH, Sarwar K. Amelioration of Ovalbumin-Induced Allergic Asthma by *Juglans regia* via Downregulation of Inflammatory Cytokines and Upregulation of Aquaporin1 and Aquaporin-5 in Mice. *Journal of Tropical Medicine*. 2022 ; 2022 : 1-10.
- [32] Parlar A, Arslan SO. CB2 Agonist (AM1241) Improving Effect on Ovalbumin- Induced Asthma in Rats. *Iranian Journal of Pharmaceutical Research*. 2020 ; 19 (1): 3-17.

- [33] Wu W, Li Y, Jiao Z, Zhang L, Wang X and Qin R. Phyllanthin and hypophyllanthin from *Phyllanthus amarus* ameliorates immune-inflammatory response in ovalbumin-induced asthma: role of IgE, Nrf2, iNOs, TNF- α , and IL's. *Immunopharmacology and Immunotoxicology*. 2019 ; 41 : 55-67.